

TC0

**BASE
SUBSTRATE
FINE**

RECIPE NO. **00B1000**

APPLICATION

Base substrate for self-made substrates, i.e. with slow-release fertilizer (Osmocotes), trace elements, chelated iron, organic plant protection additives or other supplements.

- TC BLUE** **TC BLUE SPECIAL** **CUSTOMER REQUEST**
 TRAYS / POT SIZE **5-8 cm** **9-12 cm** **12-14 cm**
 CONTAINER **1-3 L** **3-5 L** **> 5 L**

PHYSICAL CHARACTERISTICS

Composition: 100 % Sphagnum White Peat

- SUPER FINE** **FINE** **MEDIUM** **MEDIUM COARSE** **COARSE** **EXTRA COARSE** **COARSE FIBROUS**






Wetting agent - improved water absorption

CHEMICAL CHARACTERISTICS

Chemical properties at the time of manufacture

NPK 14-16-18 + Microelements*	0.3 kg/m ³
Nitrogen	40 mg/l
Phosphate	20 mg/l
Potassium	30 mg/l

* Magnesium, Boron, Molybdenum, Copper, Iron as Iron-Chelate, Manganese, Zinc. Fluctuations in the chemical properties are within the permissible tolerance range.



Fluctuation range according to quality regulations for substrates of the "Gütegemeinschaft Substrate für Pflanzen e.V."

NOTES ON STORAGE



KEEP AWAY
FROM DIRECT
SUNLIGHT!



KEEP DRY!



TEMPERATURE
LIMITS:
MIN. 0 °C / 32 °F
MAX. 20 °C / 68 °F

The product has been manufactured with the greatest possible care and is intended for immediate use. Store in a cool and dry place, especially during longer storage, and protect from direct sunlight. If stored properly, no significant chemical changes are to be expected in the first 6 months. High temperatures and high humidity lead to increased microbial substance degradation and volume loss. For long stored substrates, we recommend as a precautionary measure a chemical substrate analysis and, if necessary, a germination test.

If you have any questions about the product, please contact us at service@terracult.com

DELIVERY OPTIONS

70 L, 250 L, 300 L, 5,800 L

The availability of the package size depends on the constitution (e.g. weight) of the substrate mix.

For more information please visit us at

TERRACULT.COM

TC0

**BASE
SUBSTRATE
MEDIUM**

RECIPE NO. **00C1000**

APPLICATION


Base substrate for self-made substrates, i.e. with slow-release fertilizer (Osmocotes), trace elements, chelated iron, organic plant protection additives or other supplements.

- TC BLUE** **TC BLUE SPECIAL** **CUSTOMER REQUEST**
 TRAYS / POT SIZE **5-8 cm** **9-12 cm** **12-14 cm**
 CONTAINER **1-3 L** **3-5 L** **> 5 L**

PHYSICAL CHARACTERISTICS

Composition: 100 % Sphagnum White Peat

- SUPER FINE** **FINE** **MEDIUM** **MEDIUM COARSE** **COARSE** **EXTRA COARSE** **COARSE FIBROUS**






Wetting agent - improved water absorption

CHEMICAL CHARACTERISTICS

Chemical properties at the time of manufacture

NPK 14-16-18 + Microelements*	0.3 kg/m ³
Nitrogen	40 mg/l
Phosphate	20 mg/l
Potassium	30 mg/l

* Magnesium, Boron, Molybdenum, Copper, Iron as Iron-Chelate, Manganese, Zinc. Fluctuations in the chemical properties are within the permissible tolerance range.



Fluctuation range according to quality regulations for substrates of the "Gütegemeinschaft Substrate für Pflanzen e.V."

NOTES ON STORAGE



KEEP AWAY
FROM DIRECT
SUNLIGHT!



KEEP DRY!



TEMPERATURE
LIMITS:
MIN. 0 °C / 32 °F
MAX. 20 °C / 68 °F

The product has been manufactured with the greatest possible care and is intended for immediate use. Store in a cool and dry place, especially during longer storage, and protect from direct sunlight. If stored properly, no significant chemical changes are to be expected in the first 6 months. High temperatures and high humidity lead to increased microbial substance degradation and volume loss. For long stored substrates, we recommend as a precautionary measure a chemical substrate analysis and, if necessary, a germination test.

If you have any questions about the product, please contact us at service@terracult.com

DELIVERY OPTIONS

70 L, 250 L, 300 L, 5,800 L

The availability of the package size depends on the constitution (e.g. weight) of the substrate mix.

For more information please visit us at

TERRACULT.COM

TCO

**BASE
SUBSTRATE
MEDIUM COARSE**

RECIPE NO. **00D1000**

APPLICATION

Base substrate for self-made substrates, i.e. with slow-release fertilizer (Osmocotes), trace elements, chelated iron, organic plant protection additives or other supplements.

- TC BLUE** **TC BLUE SPECIAL** **CUSTOMER REQUEST**
 TRAYS / POT SIZE **5-8 cm** **9-12 cm** **12-14 cm**
 CONTAINER **1-3 L** **3-5 L** **> 5 L**

PHYSICAL CHARACTERISTICS

Composition: 100 % Sphagnum White Peat

- SUPER FINE** **FINE** **MEDIUM** **MEDIUM COARSE** **COARSE** **EXTRA COARSE** **COARSE FIBROUS**






Wetting agent - improved water absorption

CHEMICAL CHARACTERISTICS

Chemical properties at the time of manufacture

NPK 14-16-18 + Microelements*	0.3 kg/m ³
Nitrogen	40 mg/l
Phosphate	20 mg/l
Potassium	30 mg/l

* Magnesium, Boron, Molybdenum, Copper, Iron as Iron-Chelate, Manganese, Zinc. Fluctuations in the chemical properties are within the permissible tolerance range.



Fluctuation range according to quality regulations for substrates of the "Gütegemeinschaft Substrate für Pflanzen e.V."

NOTES ON STORAGE



KEEP AWAY
FROM DIRECT
SUNLIGHT!



KEEP DRY!



TEMPERATURE
LIMITS:
MIN. 0 °C / 32 °F
MAX. 20 °C / 68 °F

The product has been manufactured with the greatest possible care and is intended for immediate use. Store in a cool and dry place, especially during longer storage, and protect from direct sunlight. If stored properly, no significant chemical changes are to be expected in the first 6 months. High temperatures and high humidity lead to increased microbial substance degradation and volume loss. For long stored substrates, we recommend as a precautionary measure a chemical substrate analysis and, if necessary, a germination test.

If you have any questions about the product, please contact us at service@terracult.com

DELIVERY OPTIONS

70 L, 250 L, 300 L, 5,800 L

The availability of the package size depends on the constitution (e.g. weight) of the substrate mix.

For more information please visit us at

TERRACULT.COM

TCO

**BASE
SUBSTRATE
COARSE**

RECIPE NO. **00E1000**

APPLICATION


Base substrate for self-made substrates, i.e. with slow-release fertilizer (Osmocotes), trace elements, chelated iron, organic plant protection additives or other supplements.

- TC BLUE** **TC BLUE SPECIAL** **CUSTOMER REQUEST**
 TRAYS / POT SIZE **5-8 cm** **9-12 cm** **12-14 cm**
 CONTAINER **1-3 L** **3-5 L** **> 5 L**

PHYSICAL CHARACTERISTICS

Composition: 100 % Sphagnum White Peat

- SUPER FINE** **FINE** **MEDIUM** **MEDIUM COARSE** **COARSE** **EXTRA COARSE** **COARSE FIBROUS**






Wetting agent - improved water absorption

CHEMICAL CHARACTERISTICS

Chemical properties at the time of manufacture

NPK 14-16-18 + Microelements*	0.3 kg/m ³
Nitrogen	40 mg/l
Phosphate	20 mg/l
Potassium	30 mg/l

* Magnesium, Boron, Molybdenum, Copper, Iron as Iron-Chelate, Manganese, Zinc. Fluctuations in the chemical properties are within the permissible tolerance range.



Fluctuation range according to quality regulations for substrates of the "Gütegemeinschaft Substrate für Pflanzen e.V."

NOTES ON STORAGE



KEEP AWAY
FROM DIRECT
SUNLIGHT!



KEEP DRY!



TEMPERATURE
LIMITS:
MIN. 0 °C / 32 °F
MAX. 20 °C / 68 °F

The product has been manufactured with the greatest possible care and is intended for immediate use. Store in a cool and dry place, especially during longer storage, and protect from direct sunlight. If stored properly, no significant chemical changes are to be expected in the first 6 months. High temperatures and high humidity lead to increased microbial substance degradation and volume loss. For long stored substrates, we recommend as a precautionary measure a chemical substrate analysis and, if necessary, a germination test.

If you have any questions about the product, please contact us at service@terracult.com

DELIVERY OPTIONS

70 L, 250 L, 300 L, 5,800 L

The availability of the package size depends on the constitution (e.g. weight) of the substrate mix.

For more information please visit us at

TERRACULT.COM